Specifications



Lisse - Telephone - 1 gang RJ12 Mocha Bronze with Black Interior

Local distributor code: 404917922

GGBL7051BMBS

EAN Code: 3606481243102

Main

Range	Lisse
Aesthetic Name	Screwless deco
Product Or Component Type	Data/telephone socket
Device Presentation	Complete product
Telephone Socket Type	RJ12
Colour Tint	Cover plate: mocha bronze Interior: black
Quantity Per Set	Set of 1

Complementary

Number Of Gangs	1 gang
Fixing Mode	Concealed screws
Material	Stainless steel
Type Of Packing	Bag
Type Of Installation	Indoor
Depth	35 mm
Width	87 mm
Height	87 mm
Net Weight	0.101 kg

Environment

Standards	BS EN 41003
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.300 cm
Package 1 Width	8.700 cm
Package 1 Length	8.700 cm
Package 1 Weight	126.500 g
Unit Type Of Package 2	BB1

Number Of Units In Package 2	5
Package 2 Height	10.000 cm
Package 2 Width	10.200 cm
Package 2 Length	20.500 cm
Package 2 Weight	708.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	100
Package 3 Height	22.000 cm
Package 3 Width	43.000 cm
Package 3 Length	53.000 cm
Package 3 Weight	14.861 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins