# **Product datasheet**





## integrated servo motor- 2.2 Nm -6000 rpm- keyed shaft- multiturnwithout brake

ILM0703P12A0000

! Discontinued on: 9 Feb 2023

① Discontinued

EAN Code: 3606485293974

#### Main

Range Of Product	PacDrive 3
Product Or Component Type	Servo motor integrated drive
Device Short Name	ILM

### Complementary

[Us] Rated Supply Voltage	250700 V
Continuous Stall Current	3 A
Continuous Stall Torque	2.2 N.m
Peak Stall Torque	8.7 N.m
Nominal Output Power	720 W
Nominal Torque	1.15 N.m
Nominal Speed	6000 rpm
Maximum Current Irms	12 A
[In] Rated Current	1.5 A
Shaft End	Keyed
Second Shaft	Without second shaft end
Shaft Diameter	14 mm
Shaft Length	30 mm
Key Width	20 mm
Feedback Type	Absolute multiturn SinCos Hiperface
Speed Feedback Resolution	128 periods
Holding Brake	Without
Mounting Support	International standard flange
Motor Flange Size	70 mm
Torque Constant	0.76 N.m/A at 120 °C
Back Emf Constant	49 V/krpm at 20 °C
Number Of Motor Poles	6
Rotor Inertia	0.58 kg.cm <sup>2</sup>
Stator Resistance	2.7 Ohm at 20 °C for Ph/Ph 1.88 Ohm at 120 °C for Ph/N

Stator Inductance	13 mH at 20 °C for Ph/Ph	
	6.5 mH at 120 °C for Ph/N	
Maximum Radial Force Fr	730 N at 1000 rpm	
	580 N at 2000 rpm	
	510 N at 3000 rpm	
	460 N at 4000 rpm	
	430 N at 5000 rpm	
	400 N at 6000 rpm	
Maximum Axial Force Fa	0.2 x Fr	
Type Of Cooling	Natural convection	
Length	259 mm	
Number Of Motor Stacks	3	
Centring Collar Diameter	60 mm	
Centring Collar Depth	2.5 mm	
Number Of Mounting Holes	4	
Mounting Holes Diameter	s Diameter 5.5 mm	
Circle Diameter Of The Mounting Holes	82 mm	
Net Weight	4.2 kg	

### **Environment**

Ip Degree Of Protection IP54

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	26.0 cm
Package 1 Width	20.0 cm
Package 1 Length	59.0 cm
Package 1 Weight	4.78 kg

## **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Mercury Free	
<b>Ø</b>	Rohs Exemption Information	Yes
<b>⊘</b>	Pvc Free	

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information