# **Product datasheet**





### TeSys LE - enclosed DOL starter -12 A - 400 V AC coil

Local distributor code:

402931065 LE4D12V7

EAN Code: 3389110658811

### Main

Range	TeSys	
Product Name	TeSys LE	
Device Short Name	LE4D	
Product Or Component Type	Type Enclosed DOL starter	
Device Application Standard		
Material	Polycarbonate	
Utilisation Category	AC-3	
Device Composition	Thermal overload relay ordered separately Contactor Fuse disconnector	
Motor Power Kw	3 kW at 220/230 V AC 50/60 Hz 7.5 kW at 500 V AC 50/60 Hz 5.5 kW at 380/400 V AC 50/60 Hz 5.5 kW at 415 V AC 50/60 Hz 5.5 kW at 440 V AC 50/60 Hz	
[Uc] Control Circuit Voltage	400 V AC 50/60 Hz	
[Ith] Conventional Free Air Thermal Current	12 A	
Associated Fuse Rating	16 A 10 x 38 mm aM	
Control Type	Push-button start green I Push-button stop/reset red O	

### Complementary

Cable Entry Number	2 ISO20 top		
	2 ISO25 top		
	2 ISO32 top		
	2 ISO40 top		
	2 ISO20 bottom		
	2 ISO25 bottom		
	2 ISO32 bottom		
	2 ISO40 bottom		
Width	186 mm		
Height	330 mm		
Depth	175.5 mm		
Net Weight	1.96 kg		

### **Environment**

Ip Degree Of Protection	IP65 conforming to IEC 60529
Ik Degree Of Protection	IK07 conforming to IEC 60529

Standards	IEC 60947-4-1
Ambient Air Temperature For Operation	-540 °C
Environmental Characteristic	Standard environment
Product Certifications	LIKCA

### **Packing Units**

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	29.000 cm
Package 1 Width	29.000 cm
Package 1 Length	46.300 cm
Package 1 Weight	3.128 kg
Unit Type Of Package 2	P06
Number Of Units In Package 2	6
Package 2 Height	75.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	27.250 kg

## **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>Ø</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information