Product datasheet

Specifications





Spacial SFM mounting plate - 250x600 mm - 5M

NSYMP5M6

EAN Code: 3606480850479

Main

Range	Spacial
Accessory / Separate Part Category	Mounting accessory
Product Or Component Type	Mounting plate
Device Application	Compartmentalised application
Enclosure Nominal Dimensions	- W: 600 mm
Number Of Modules	5
Mounting Plate Description	Plain
Range Compatibility	Spacial Spacial SFM
Device Composition	1 mounting plate
Quantity Per Set	Set of 1
Material	Galvanised steel

Complementary

Fixing Mode	By fixing brackets
Adjustment	Adjustable in depth every 50 mm
Height	250 mm nominal:
Width	600 mm nominal:

Packing Units

0	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.3 cm
Package 1 Width	21.0 cm
Package 1 Length	49.0 cm
Package 1 Weight	1.626 kg
Unit Type Of Package 2	РАМ
Number Of Units In Package 2	100
Package 2 Height	45.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	176.0 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations