

Product datasheet

Specifications



potentiometer - 4700 Ohm - for XKB XKD XKM

XKZA15047

⚠ Discontinued on: 11 Jan 2023

EAN Code: 3389110634105

⚠ Discontinued

Main

Product Or Component Type	Controllers separate parts
Accessory / Separate Part Category	Control accessories
Product Specific Application	Medium hoisting applications Light hoisting applications Heavy hoisting applications
Product Compatibility	XKB XKD XKM
Accessory / Separate Part Type	Potentiometer
Condition Of Use	For standard applications
Ohmic Value	4700 Ohm
Size	15 mm

Complementary

Standards	UTE 93-265
Potentiometer Characteristic	Continuous rotational operation Linear function
Operating Angle	360 °
Mechanical Durability	3000000 cycles
Centre Tap	Wired out to terminal
Centre Tap Dead Zone	2 ° +/- 1 %
Power Dissipation In W	3 W 85 °C
Connections - Terminals	Flying leads from soldered standard tags
Net Weight	0.06 kg

Environment

Mounting Mode	By the body
---------------	-------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.4 cm
Package 1 Width	5.2 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	5.8 cm
Package 1 Weight	65.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	24
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	1.779 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Well-being performance

 Mercury Free	
 Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins