Product data sheet

Specifications



Main

Range	Prisma
Product Or Component Type	Terminal block

Complementary

Line Rated Current	125 A
[Ui] Rated Insulation Voltage	500 V
Number Of Terminal Blocks	1 screw)10
Distribution Block Outgoers	4 x 16 mm² 1 x 35 mm² 5 x 10 mm²
Range Compatibility	Prisma G Opale Pragma

Ordering and shipping details

Category	01078-DE2 MISC
Discount Schedule	DE2
Gtin	3303430149774
Returnability	No

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.79 in (2 cm)
Package 1 Width	1.18 in (3 cm)
Package 1 Length	4.72 in (12 cm)
Package 1 Weight	1.76 oz (50 g)
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	2.17 in (5.5 cm)
Package 2 Width	4.33 in (11 cm)
Package 2 Length	5.71 in (14.5 cm)
Package 2 Weight	10.58 oz (300 g)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Unit Type Of Package 3	S04
Number Of Units In Package 3	250
Package 3 Height	11.81 in (30 cm)
Package 3 Width	15.75 in (40 cm)
Package 3 Length	23.62 in (60 cm)
Package 3 Weight	34.76 lb(US) (15.766 kg)

Contractual warranty

Warranty

18 months

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information
Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations