## Product data sheet

Specifications





(!) Discontinued

# voltage release - MX - OF - 48..130 V AC

26947

#### () Discontinued on: Feb 17, 2021

## Main

Range Of Product	Multi9
Product Or Component Type	Shunt trip release with OC contact
Device Short Name	MX + OF
Signal Contacts Composition	1 C/O
[Uc] Control Circuit Voltage	48 V AC 50/60 Hz 48 V DC
9 Mm Pitches	2

#### Complementary

Range Compatibility	Multi9 Multi9 C60 Multi9 Multi9 ID Multi9 Multi9 N40	
Local Signalling	Action indicator	
Mounting Mode	Fixed	
Mounting Support	35 mm symmetrical DIN rail	
Height	3.25 in (82.5 mm)	
Width	0.71 in (18 mm)	
Depth	2.68 in (68 mm)	
Connections - Terminals	inals Clamp terminal - 1 0.00 in <sup>2</sup> (2.5 mm <sup>2</sup> ) - flexible	
Wire Stripping Length	0.35 in (9 mm)	
Tightening Torque	8.85 lbf.in (1 N.m)	

#### Environment

Standards	EN/IEC 60947-5-1
Product Certifications	KEMA ASEFA LCIE ASTA
Tropicalisation	2 EN/IEC 60947-5-1
Relative Humidity	95 % 131 °F (55 °C)
Ambient Air Temperature For Operation	-13122 °F (-2550 °C)
Ambient Air Temperature For Storage	-40185 °F (-4085 °C)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

## Ordering and shipping details

Category	01078-DE2 MISC
Discount Schedule	DE2
Gtin	00785901469384
Returnability	No
Country Of Origin	BE

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.54 in (9 cm)
Package 1 Width	0.94 in (2.4 cm)
Package 1 Length	3.15 in (8 cm)
Package 1 Weight	2.68 oz (76 g)

#### **Contractual warranty**

Warranty

18 months

### Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

#### **Certifications & Standards**

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.