## Product data sheet

Specifications

SQUARE D



## NEMA Combination Starter, Type S, nonfusible disconnect, Size 0, 18A, 5 HP at 600 VAC polyphase, 480 VAC coil, NEMA 12

8538SBA21V06C

① To be discontinued

! To be discontinued on: Sep 30, 2024

# Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

Product	Combination Starter	
Туре	S	
Control Circuit Type	Common control circuit	
Complementary	/	
Control Circuit Voltage	440 V AC 50 Hz 480 V AC 60 Hz	
Starter Type	Non reversing	

Number Of Poles	3P
Horsepower Rating	3 hp 200 V AC, 3 phase
	3 hp 230 V AC, 3 phase
	5 hp 460 V AC, 3 phase
	5 hp 575 V AC, 3 phase
Maximum Voltage Rating	600 V AC
Control Units	Selector switch HAND-OFF-AUTO)
Pilot Light	No indicator
Auxiliary Contacts	Without
Thermal Overload Type	Melting alloy 3
Disconnect Type	Non-fusible disconnect switch
Nema Size	0

#### Environment

Enclosure Type

NEMA 12 painted sheet steel with external reset

## Ordering and shipping details

Category	21212 - 8538,39SB(NOT S*R,S*T,S*W)
Discount Schedule	CP1
Returnability	No
Country Of Origin	MX

## **Packing Units**

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Weight	45.00 lb(US) (20.412 kg)

## **Contractual warranty**

Warranty

18 months

#### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

**Eu Rohs Directive** 

Not compliant