



NEMA Combination Starter, Type S, HHL electronic motor circuit protector, Size 3, 90A, 3 phase, 600 VAC coil, NEMA 4X

8539SEW41V07

① To be discontinued

! To be discontinued on: Sep 30, 2024

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product	Combination Starter
Туре	S
Control Circuit Type	Common control circuit

Complementary

Control Circuit Voltage	550 V AC 50 Hz 600 V AC 60 Hz			
Starter Type	Non reversing			
Number Of Poles	3P			
Horsepower Rating	2025 hp 460 V AC, 3 phase 2530 hp 575 V AC, 3 phase			
Maximum Voltage Rating	600 V AC			
Control Units	No control units			
Pilot Light	No indicator			
Auxiliary Contacts	Without			
Thermal Overload Type	Melting alloy 3			
Disconnect Type	Mag-Gard circuit breaker			

Environment

Enclosure Type	NEMA 4/4X brushed stainless steel with external reset	
Nema Size	3	

Ordering and shipping details

Category	21218 - 8538,39 W/STAINLESS ENCLOS		
Discount Schedule	CP1		
Returnability	No		
Country Of Origin	MX		

Packing Units

Unit Type Of Package 1	PCF	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

 Number Of Units In Package 1
 1

 Package 1 Weight
 111.00 lb(US) (50.349 kg)

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Not compliant