

NEMA Combination Starter, Type S, 150A JLL thermal magnetic circuit breaker, Size 4, 135A, 3 phase, 600 VAC coil, NEMA 1

8539SFG5V07

! To be discontinued on: Sep 30, 2024

Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

Product	Combination Starter	
Туре	S	
Control Circuit Type	Common control circuit	

## Complementary

Control Circuit Voltage	550 V AC 50 Hz 600 V AC 60 Hz		
Starter Type	Non reversing		
Number Of Poles	3P		
Horsepower Rating	60 hp 460 V AC, 3 phase 6075 hp 575 V AC, 3 phase		
Maximum Voltage Rating	600 V AC		
Control Units	No control units		
Pilot Light	No indicator		
Auxiliary Contacts	Without		
Thermal Overload Type	Melting alloy 3		
Disconnect Type	Thermal magnetic circuit breaker, 110 A		

### **Environment**

Enclosure Type	NEMA 1 painted sheet steel with external reset	
Nema Size	4	

## Ordering and shipping details

Category	21214 - 8538,39 SE,SF(NOT S*R,T,W)		
Discount Schedule	CP1		
Returnability	No		
Country Of Origin	MX		

### **Packing Units**

Unit Type Of Package 1	PCF	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number Of Units In Package 1 1

Package 1 Weight 163.00 lb(US) (73.936 kg)

# **Contractual warranty**

Warranty 18 months

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

**Eu Rohs Directive** 

Not compliant