

NEMA Combination Starter, Type S, 400A LLL thermal magnetic circuit breaker, Size 5, 270A, 3 phase, 208VAC coil, NEMA 12

8539SGA14V08

① To be discontinued

! To be discontinued on: Sep 30, 2024

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product	Combination Starter		
Туре	s		
Control Circuit Type	Common control circuit		

Complementary

Control Circuit Voltage	208 V AC 60 Hz			
Starter Type	Non reversing			
Number Of Poles	3P			
Horsepower Rating	75 hp 230 V AC, 3 phase 200 hp 575 V AC, 3 phase 6075 hp 200 V AC, 3 phase 125150 hp 460 V AC, 3 phase			
Maximum Voltage Rating	600 V AC			
Control Units	No control units			
Pilot Light	No indicator			
Auxiliary Contacts	Without			
Thermal Overload Type	Melting alloy 3			
Disconnect Type	Thermal magnetic circuit breaker, 300 A			

Environment

Enclosure Type	NEMA 12 painted sheet steel with external reset		
Nema Size	5		

Ordering and shipping details

Category	21215 - 8538,39SG(NOT S*R,S*T,S*W)			
Discount Schedule	CP1			
Returnability	No			
Country Of Origin	MX			

Packing Units

· · · · · · · · · · · · · · · · · · ·			
Unit Type Of Package 1	PCF		

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

 Number Of Units In Package 1
 1

 Package 1 Weight
 440.00 lb(US) (199.581 kg)

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Not compliant