



NEMA Combination Starter, Type S, 800A thermal magnetic circuit breaker, Size 6, 540A, 3 phase, 240 VAC coil, NEMA 1

8539SHG7V03

! To be discontinued on: Sep 30, 2024

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product	Combination Starter	
Туре	S	
Control Circuit Type	Common control circuit	

Complementary

Control Circuit Voltage	220 V AC 50 Hz 240 V AC 60 Hz	
Starter Type	Non reversing	
Number Of Poles	3P	
Horsepower Rating	200 hp 230 V AC, 3 phase 400 hp 460 V AC, 3 phase	
Maximum Voltage Rating	600 V AC	
Control Units	No control units	
Pilot Light	No indicator	
Auxiliary Contacts	Without	
Thermal Overload Type	Melting alloy 3	
Disconnect Type	Thermal magnetic circuit breaker, 800 A	

Environment

Enclosure Type	NEMA 1 painted sheet steel with external reset	
Nema Size	6	

Ordering and shipping details

Category	21216 - 8538,39 SH,SJ(NOT S*R,T,W)	
Discount Schedule	CP1	
Returnability	No	
Country Of Origin	MX	

Packing Units

Unit Type Of Package 1	PCE	
------------------------	-----	--

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

 Number Of Units In Package 1
 1

 Package 1 Weight
 420.00 lb(US) (190.509 kg)

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Not compliant