
Product data sheet

Specifications



Main

Device Short Name

Complementary

s

[Ue] Rated Operational Voltage	208 V AC
[Uc] Control Circuit Voltage	208 V AC
Depth	9.38 in (238.25 mm)
Device Mounting	Surface
Height	50 in (1270.00 mm)
Maximum Horse Power Rating	10 hp
Nema Size	2
Number Of Poles	3
Number Of Thermal Units Required	3
Net Weight	250 lb(US) (113.40 kg)
Width	25 in (635.00 mm)

Environment

Nema Degree Of Protection	NEMA 1
Product Certifications	UL listed file E70074 CCN NLDX

Ordering and shipping details

Category	21231 - 8606 (NOT S*K)
Discount Schedule	CP1
Returnability	No
Country Of Origin	MX

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	50.00 in (127.0 cm)
Package 1 Width	25.00 in (63.5 cm)
Package 1 Length	9.37 in (23.8 cm)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 1 Weight

500.00 lb(US) (226.796 kg)

2

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Not compliant

China Rohs Regulation

China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.