



NEMA Starter, Type S, reversing, horizontal, Size 1, 27A, 10 HP at 575 VAC, 5 kA SSCR, 3 phase, 3 pole, melting alloy overload, 600 VAC coil, NEMA 1

8736SCG8V07

① To be discontinued

! To be discontinued on: Sep 30, 2024

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

| Product Type | Starter |
|---------------|-----------|
| Product Range | S |
| Starter Type | Reversing |

Complementary

| Nema Size | 1 |
|------------------------|--|
| Rated Current | 27 A |
| Number Of Poles | 3P |
| Mounting Orientation | Horizontal |
| Wiring Mode | 3 wires |
| Maximum Voltage Rating | 600 V AC |
| Phase | 3 phase |
| Type Of Overload | Melting alloy 3 |
| Horsepower Rating | 7.5 HP 200 V AC 7.5 HP 230 V AC 10 HP 460 V AC 10 HP 575 V AC |
| Sccr | Circuit-breaker: 5 kA at 600 V AC Fuse: 5 kA at 600 V AC |
| Coil Voltage | 550 V AC 50 Hz 600 V AC 60 Hz |
| Control Circuit Type | Common control circuit |
| Control Units | No control units |
| Pilot Light | Without pilot light |
| Auxiliary Contacts | Without |
| Terminal Type | Screw clamp terminals |
| Height | 11.88 in (301.75 mm) |
| Width | 11.88 in (301.75 mm) |
| Depth | 7.53 in (191.26 mm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environment

| Enclosure Type | NEMA 1 painted sheet steel |
|----------------|----------------------------|
| Certifications | UL Listed CSA |

Ordering and shipping details

| Category | 21272 - 8702,36 SC,SD(NOT S*R,T,W) |
|-------------------|------------------------------------|
| Discount Schedule | CP1 |
| Returnability | No |
| Country Of Origin | MX |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|--------------------------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 11.89 in (30.2 cm) |
| Package 1 Width | 11.89 in (30.2 cm) |
| Package 1 Length | 7.52 in (19.1 cm) |
| Package 1 Weight | 23.60 lb(US) (10.705 kg) |

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

| Eu Rohs Directive | Under investigation |
|---------------------------|---|
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |