

# Product data sheet

Specifications

SQUARE D



## Terminal block, Linergy, fuse holder, Class R, 100A, 250 V, 1 pole

9080FB1231R

Discontinued on: Oct 20, 2021

Discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

### Main

Range	9080FB
Product	Fuse holder

### Complementary

Current Rating	100 A
[Ue] Rated Operational Voltage	<= 250 V AC/DC
Fuse Type	R
Fuse Size	1 x 5.875 in
Number Of Poles	1
Electrical Connection	Box lugs
Wire Gauge	AWG 6...AWG 2/0 copper or aluminium
Sccr	200 kA UL 512
Product Certifications	CSA file 70360 class 6225 01 CE UL listed file E40747 CCN IZLT
Operating Temperature	-40...302 °F (-40...150 °C)
Mounting Type	Surface mount
Block Material	Phenolic: block
Wire Stripping Length	1.3125 in (33.34 mm)
Terminal Tightening Torque	lugs 120 lbf.in (13.56 N.m) AWG 14...AWG 2/0 copper lugs 120 lbf.in (13.56 N.m) AWG 12...AWG 2/0 aluminium
Height	6.12 in (155.45 mm)
Width	1.93 in (49.02 mm)
Depth	2.44 in (61.98 mm)

### Ordering and shipping details

Category	US10CP121701
Discount Schedule	0CP1
Returnability	No
Country Of Origin	US

### Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty

18 months

## Sustainability





**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant	<a href="#">EU RoHS Declaration</a>
China Rohs Regulation	<a href="#">China RoHS declaration</a>	Pro-active China RoHS declaration (out of China RoHS legal scope)
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="#">www.P65Warnings.ca.gov</a>	