Product data sheet

Specifications

SQUARE D



Terminal block, Linergy, box connector, black colored block, 40A, 600 V

9080GKB6

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 2.40 USD

Main

Range Of Product	9080G
Product Type	Terminal block
Localisation On Device	Standard
Color	Black
Quantity	Set of 50

Complementary

Complementary	
Voltage Rating	600 V AC/DC
Current Rating	40 A CSA 70 A UL
Wire Size	AWG 22AWG 10 copper
Mounting Type	Panel 9080GH track
Certifications	CSA file 62144 class 6228 01 CE UL recognized E60616 CCN XCFR2
Electrical Connection	Copper box lugs
Material	Nylon: block
Ambient Air Temperature For Operation	-40257 °F (-40125 °C)
Electrical Connrection Tightening Torque	Lug copper 1112 lbf.in (1.241.36 N.m) : AWG 22AWG 10 copper)
Height	1.39 in (35.31 mm)
Width	1.4 in (35.56 mm)
Depth	0.35 in (8.89 mm)
Density	35 per foot
Compatible End Barrier	GK6B

Ordering and shipping details

Category	US10CP521702
Discount Schedule	0CP5
Gtin	785901744528
Returnability	No
Country Of Origin	МХ

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Pvc Free	
Reach Regulation	
nouon nogulation	REACh Declaration
Eu Rohs Directive	REACh Declaration Compliant
	Compliant EU RoHS Declaration China RoHS declaration
Eu Rohs Directive	Compliant EU RoHS Declaration