
Product data sheet

Specifications





Cable end, Linergy TR cable ends, single conductor, blue, 50 mm², long size, clip-in type, for insulated clable

DZ5CA503D



Main

Range Of Product	Linergy
Product Or Component Type	Cable end
Cable End Size	Long
Standards	DIN 46228-4
Type Of Packing	Bag
Quantity Per Set	Set of 20
Cable Cross Section	0.08 in² (50 mm²)

Complementary

•	
Cable End Type	Single conductor
Additional Information	For additional marker tag holder
Color	Blue
Bezel Material	Halogen-free plastic
Tube Material	Copper ISO 1337
Number Of Cables	1
Awg Gauge	AWG 1/0
Bezel Size	Ø 16 mm
Tube Diameter	0.43 in (11 mm)
Length	1.57 in (40 mm)
Tube Length	0.98 in (25 mm)
Cad Overall Depth	1.57 in (40 mm)
Net Weight	0.16 lb(US) (0.072 kg)

Environment

Ambient Air Temperature For -4...221 °F (-20...105 °C) Operation

Ordering and shipping details

Category	22621-IEC PANEL ACCESSORIES
Discount Schedule	I
Gtin	3389110211269
Returnability	No

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Packing Units

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.16 in (0.400 cm)
Package 1 Width	0.16 in (0.400 cm)
Package 1 Length	0.55 in (1.400 cm)
Package 1 Weight	0.00 oz (0.100 g)
Unit Type Of Package 2	BB1
Number Of Units In Package 2	20
Package 2 Height	0.79 in (2.000 cm)
Package 2 Width	3.94 in (10.000 cm)
Package 2 Length	5.12 in (13.000 cm)
Package 2 Weight	2.47 oz (70.000 g)
Unit Type Of Package 3	S02
Number Of Units In Package 3	800
Package 3 Height	5.91 in (15.000 cm)
Package 3 Width	11.81 in (30.000 cm)
Package 3 Length	15.75 in (40.000 cm)
Package 3 Weight	7.78 lb(US) (3.530 kg)

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc
 Toxic Heavy Metal Free
 Mercury Free
 Rohs Exemption Information Yes
 Pvc Free
 Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations