Product data sheet





Auxiliary contacts, TeSys GS, 2NC +2NO, instantaneous, left side mounting, for GS2 with front handle test position

GS1ANT22

Discontinued on: Jan 31, 2024

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range Of Product	TeSys	
Device Short Name	GS1AN	
Product Or Component Type	Auxiliary contact	
Contact Application	O, I and test position signalling	
Contacts Type And Composition	2 NO + 2 NC	
Contact Operation	Instantaneous	
[Ith] Conventional Free Air Thermal Current	20 A (at 104 °F (40 °C))	
[le] Rated Operational Current	1 A 220 V DC-13 10 A 230 V AC-15 12 A 127 V AC-15 4 A 48 V DC-13 6 A 440 V AC-15 8 A 400/415 V AC-15 1.2 A 110 V DC-13	

Complementary

Range Compatibility	TeSys TeSys GS fuse-switch disconnector
Mechanical Durability	30000 cycles
Electrical Durability	30000 cycles AC-15
Switch Rated Current	50 A
	63 A
	125 A
	315 A
	100 A
	250 A
	60 A
	200 A
	160 A
	400 A
Fuse Type	DIN
	BS
	NFC
Type Of Operating Handle	External frontal
Net Weight	0.57 lb(US) (0.258 kg)

Ordering and shipping details

Category US10I1122640

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Life Is On Schneider Apr 19, 2024

Discount Schedule	0111
Gtin	3389110255218
Returnability	No
Country Of Origin	FR

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.38 in (3.5 cm)
Package 1 Width	2.76 in (7.0 cm)
Package 1 Length	5.12 in (13.0 cm)
Package 1 Weight	9.10 oz (258.0 g)
Unit Type Of Package 2	S01
Number Of Units In Package 2	12
Package 2 Height	5.91 in (15.0 cm)
Package 2 Width	5.91 in (15.0 cm)
Package 2 Length	15.75 in (40.0 cm)
Package 2 Weight	7.34 lb(US) (3.329 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

California Proposition 65	WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
Circularity Profile	End of Life Information
Environmental Disclosure	Product Environmental Profile
China Rohs Regulation	China RoHS declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Reach Regulation	REACh Declaration