Mureva BOX - grommet - grey - diameter 4 to 32



ISM71073

Discontinued on: Mar 14, 2023

! Discontinued

Main

Range Of Product	Mureva
Product Or Component Type	Grommet
Colour	Grey RAL 7035)
Quantity Per Package	10 pieces

Complementary

Accessory / Separate Part Category	Cabling accessory
Material	SBS (styrene butadiene styrene)
Cable Outer Diameter	0.161.26 in (432 mm)
Drilling Diameter	1.42 in (36 mm)

Environment

Operating Temperature	-13104 °F (-2540 °C)
lp-Class	IP55

Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES
Discount Schedule	ES1
Gtin	3606480077265
Returnability	No
Country Of Origin	FR

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.26 in (3.2 cm)
Package 1 Width	1.26 in (3.2 cm)
Package 1 Length	1.57 in (4 cm)
Package 1 Weight	0.21 oz (6 g)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Warranty

18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Sustainable Packaging Transparency RoHS/REACh


Resource performance



Sustainable Packaging

Well-being performance

Reach Free Of Svhc



Mercury Free

Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

EU RoHS Declaration

China Rohs Regulation

China RohS declaration

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

Product Environmental Profile

No need of specific recycling operations