

Product data sheet

Specifications



EBE - EnOcean 868MHz - Battery powered valve driver

LSS513753

 **Discontinued on:** Sep 30, 2023

 **Discontinued**

Main

Range	EcoStruxure Building Expert
Product Name	EnOcean
Product Or Component Type	Actuator
Device Application	Temperature control

Complementary

Device Mounting	Surface
Transmission Frequency	868 MHz
Operating Distance	30 mm with walls
Type Of Measurement	Temperature 0...40 °C +/- 0.5 °C
Housing Colour	Pure white RAL 9010
Power Supply Type	Battery
Battery Type	3 alkaline 1.5 V
Battery Life	3 year(s)
Display Type	LED
Operating Position	+/- 90° to vertical plane
Maximum Noise Figure	28 dB
Service Description	Maintenance free
Operating Force	100 N
Nominal Stroke	0.12 in (3 mm) 10 s)
Ip Degree Of Protection	IP40 conforming to EN 60529
Market Segment	Small buildings
Height	3.60 in (91.5 mm)
Width	1.85 in (47 mm)
Depth	3.35 in (85 mm)
Product Weight	0.35 lb(US) (0.157 kg) without battery 0.50 lb(US) (0.225 kg) with battery

Environment

Ambient Air Temperature For Operation	32...122 °F (0...50 °C)
Standards	IEC 13543-3-10

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ordering and shipping details

Gtin	7332552011146
------	---------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.85 in (4.7 cm)
Package 1 Width	3.35 in (8.5 cm)
Package 1 Length	4.33 in (11.0 cm)
Package 1 Weight	3.56 oz (101.0 g)

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Eu Rohs Directive	Compliant EU RoHS Declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.