

# TeSys F - contactor coil - LX0FL - 380...400 V AC

LX0FL010

Discontinued on: Jul 12, 2021

#### ! Discontinued

### Main

Range	TeSys	
Product Or Component Type	Contactor coil	
Device Short Name	LX0FL	
Control Circuit Type	AC 50/60 Hz	
[Uc] Control Circuit Voltage	380400 V AC 50/60 Hz	
Average Resistance	60.95 Ohm latching 68 °F (20 °C) 10676 Ohm unlatching 68 °F (20 °C)	
Product Compatibility	CR1F630	
Operating Time	50100 ms unlatching 4080 ms latching	
Mechanical Durability	1 Mcycles	
Maximum Operating Rate	120 cyc/h 104 °F (40 °C)	

## Complementary

Control Circuit Voltage Limits Latching: 0.85...1.1 Uc Unlatching: 0.85...1.1 Uc

## **Environment**

**Net Weight** 3.22 lb(US) (1.46 kg)

# Ordering and shipping details

Category	18401-WORLD SERVICE PARTS(CTR ACCESS)	
Discount Schedule	CP10	
Gtin	3389110207279	
Returnability	No	

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

## **Contractual warranty**

Warranty 18 months

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

# Well-being performance

Reac	h Free Of Svhc	
<b>T</b> oxic	Heavy Metal Free	
<b>⊘</b> Merc	ury Free	
Rohs	Exemption Information	Yes
Eu Rohs D	irective	Pro-active compliance (Product out of EU RoHS legal scope)
		EU RoHS Declaration
China Roh	s Regulation	China RoHS declaration