

TeSys Deca - contactor coil - LX4D7 - 440 V DC standard for 80 A contactor

LX4D7RD

! Discontinued on: Jul 12, 2021

(!) Discontinued

Main

Range	TeSys
Product Or Component Type	Contactor coil
Device Short Name	LX4D7
Control Circuit Type	DC standard
[Uc] Control Circuit Voltage	440 V DC
Average Resistance	9195 Ohm 68 °F (20 °C)
Inductance Of Closed Circuit	640 H
Product Compatibility	LC1D80
Mechanical Durability	10 Mcycles
Maximum Operating Rate	3600 cyc/h 140 °F (60 °C)

Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Drop-out: 0.10.3 Uc (at <131 °F (55 °C)) Operational: 0.851.1 Uc (at <131 °F (55 °C))
Time Constant	75 ms
Inrush Power In W	22 W 68 °F (20 °C))
Hold-In Power Consumption In W	22 W 68 °F (20 °C)

Environment

Ambient Air Temperature For Operation	23140 °F (-560 °C)
Net Weight	1.50 lb(US) (0.68 kg)

Ordering and shipping details

Category	18401-WORLD SERVICE PARTS(CTR ACCESS)	
Discount Schedule	CP10	
Gtin	3389110190076	
Returnability	No	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information.