## Product data sheet

Specifications





# TeSys F - contactor coil - LX4FH - 110 V DC wide range

LX4FH090

(!) To be discontinued on: Dec 31, 2028



#### Main

Range	TeSys
Product Or Component Type	Contactor coil
Device Short Name	LX4FH
Range Compatibility	TeSys TeSys F LC1F contactor
Product Compatibility	LC1F330 LC1F265
Control Circuit Type	DC wide range
[Uc] Control Circuit Voltage	110 V DC
Inductance Of Closed Circuit	287 H
Average Resistance	11 Ohm inrush 68 °F (20 °C) 2120 Ohm holding 68 °F (20 °C)
Operating Time	4050 ms closing 4065 ms opening
Mechanical Durability	1 Mcycles
Maximum Operating Rate	60 cyc/h 158 °F (70 °C)

#### Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Operational 0.71.25 Uc 158 °F (70 °C)) Drop-out 0.20.45 Uc 158 °F (70 °C))
Inrush Power In W	750 W 68 °F (20 °C))
Hold-In Power Consumption In W	5 W 68 °F (20 °C)

#### Environment

Ambient Air Temperature For Operation	-67158 °F (-5570 °C)
Net Weight	1.63 lb(US) (0.74 kg)

## Ordering and shipping details

Category	18401-WORLD SERVICE PARTS(CTR ACCESS)
Discount Schedule	CP10
Gtin	3389118114296
Returnability	No

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.62 in (9.2 cm)
Package 1 Width	3.94 in (10.0 cm)
Package 1 Length	7.32 in (18.6 cm)
Package 1 Weight	30.04 oz (851.5 g)

### **Contractual warranty**

Warranty

18 months

## Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information