Product data sheet

Specifications





Handle lock polyamid with padlock device (without insert) for PLA - Ral 7035

NSYCBCMPLAG

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 120.05 USD

Main

Range	Thalassa
Product Or Component Type	Padlocking device

Complementary

Accessory / Separate Part Category	Locking accessory
Accessory / Separate Part Type	Padlocking handle
Device Application	Multi-purpose
Mounting Support	Direct mounting on door
Range Compatibility	Thalassa Thalassa PLA
Device Composition	1 handle
Material	polyamide 6 with 30 % fibre glass
Lock Type	Padlockable

Ordering and shipping details

Category	US10ES180034
Discount Schedule	0ES1
Gtin	3606485422923
Returnability	No
Country Of Origin	ES

Packing Units

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.57 in (4.0 cm)
Package 1 Width	10.24 in (26.0 cm)
Package 1 Length	10.24 in (26.0 cm)
Package 1 Weight	17.28 oz (490.0 g)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations