



APC IT Power Distribution Module 3x1 Pole 3 Wire 20A 240V IEC309 1680cm 1680cm

PDM1320IEC-3P-3

Overview

Presentation	Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time.
Lead Time	Usually Ships within 3 Weeks

Main

Main Input Voltage	240 V	
Main Output Voltage	240 V	
Provided Equipment	Installation quide	

Physical

Color	Gray
Height	5.98 in (15.2 cm)
Width	17.01 in (43.2 cm)
Depth	16.50 in (41.9 cm)
Net Weight	20.04 lb(US) (9.09 kg)

Input

Input Frequency	60 Hz
Max Line Current	20 A

Output

Maximum Total Current Draw Per Phase	20 A
Number Of Power Socket Outlets	3 IEC 309 20 A

Conformance

Product Certifications UL Listed

Ordering and shipping details

Gtin 731304268192

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Height	5.98 in (15.2 cm)
Package 1 Width	16.50 in (41.9 cm)
Package 1 Length	17.01 in (43.2 cm)
Package 1 Weight	22.05 lb(US) (10 kg)

Contractual warranty

Warranty

1 year repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information