





Mini circuit breaker accessory, QO, lug kit, 125A, 2 pole, 2 spaces, subfeed

QO2125SL

Product availability: Stock - Normally stocked in distribution

Price*: 137.00 USD

Main

Product Type	Lug kit
Marketing Trade Name	QO
Rated Current	125 A
Number Of Spaces	2
Number Of Phases	2 phases
Voltage Rating	240 V AC

Complementary

Number Of Poles	2
Wire Size	AWG 12AWG 2/0 copper or aluminium
Product Certifications	CSA cURus
Mounting Mode	Plug-in
Height	3.500 in (88.90 mm)
Width	1.494 in (37.95 mm)
Depth	2.310 in (58.67 mm)

Environment

Ambient Air Temperature For	23 °F (-5 °C)
Operation	104 °F (40 °C)

Ordering and shipping details

Category	US1DE2A00080	
Discount Schedule	DE2A	
Gtin	785901031154	
Returnability	Yes	
Country Of Origin	MX	

Packing Units

Unit Type Of Package 1	PCE	
Number Of Units In Package 1	1	
Package 1 Height	3.40 in (8.636 cm)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	3.80 in (9.652 cm)
Package 1 Length	1.60 in (4.064 cm)
Package 1 Weight	9 60 oz (272 155 g)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

②	Mercury Free	
Ø	Rohs Exemption Information	Yes
②	Halogen Free Product	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Circularity Profile	No need of specific recycling operations