Specifications



UCF0341I

() Discontinued on: Oct 9, 2023

6KW 208-230/1/60

() To be end-of-service on: Sep 19, 2030

Split Unit Ceiling Mount Evaporator

Discontinued - Service only

Overview	,
Over view	

Lead Time

Special Order - Call for Quoted Lead Times

Main

Main Input Voltage	208 V 230 V
Communication Port Protocol	Modbus
Provided Equipment	Installation guide Operations and maintenance manual

General

Compressor Type	Scroll
Air Discharge Patterns	Horizontal
Intake Air	Rear Return
Air Flow	1088 ft³/min (513.48 l/s)
Tube Material	Copper
Fluid Connection Type	SWT

Physical

Color	White
Height	12.99 in (33 cm)
Width	37.40 in (95 cm)
Depth	41.30 in (104.9 cm)
Net Weight	165.39 lb(US) (75.02 kg)
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Minimum Circuit Amp Capacity	5 A
Input Frequency	60 Hz
Maximum Overcurrent Protection	15 A

Conformance

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

ETL

Environmental

Operating Altitude

0...2000 ft

Communications & Management

Control Panel

Multi-function LCD status and control console

Ordering and shipping details

Gtin

731304347989

Packing Units

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	21.69 in (55.1 cm)
Package 1 Width	46.50 in (118.1 cm)
Package 1 Length	54.29 in (137.9 cm)
Package 1 Weight	214.99 lb(US) (97.52 kg)

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Not applicable, out of EU RoHS legal scope