

# preassembled cord set for RS422 interface - for LXM05 - 1.5 m

VW3M8209R15

! Discontinued on: Oct 9, 2023

① Discontinued distrib

Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

Accessory / Separate Part Designation	Preassembled cordset for RS422 interface
Accessory / Separate Part Type	Connecting cable
Accessory / Separate Part Category	Connection accessories
Product Compatibility	VW3M3101 LXM05 VW3M3102
Accessory / Separate Part Destination	Between Lexium 05 (CN5) servo drive and splitter block
Cable Length	4.92 ft (1.5 m)

### Complementary

Electrical Connection	1 connector Molex, 10 ways Lexium 05 side (CN5) 1 connector SUB-D 15 splitter block side
Net Weight	0.07 lb(US) (0.03 kg)

## Ordering and shipping details

Category	US1PC5518286
Discount Schedule	PC55
Gtin	3389119207706
Returnability	No
Country Of Origin	CZ

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.59 in (1.5 cm)
Package 1 Width	6.30 in (16.0 cm)
Package 1 Length	6.69 in (17.0 cm)
Package 1 Weight	4.30 oz (122.0 g)
Unit Type Of Package 2	S04
Number Of Units In Package 2	20
Package 2 Height	11.81 in (30.0 cm)
Package 2 Width	15.75 in (40.0 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 2 Length	23.62 in (60.0 cm)
Package 2 Weight	8.14 lb(US) (3.692 kg)

## **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
<b>②</b>	Mercury Free	
<b>②</b>	Rohs Exemption Information	Yes
<b>Ø</b>	Pvc Free	
Rea	ch Regulation	REACh Declaration
Eu f	Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration
Cali	fornia Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov