


Product data sheet

Specifications



MOUNTING PLATE INF 3P/4P 32-40A VERTICAL AND HORIZONTAL W650

03540

 **Discontinued on:** Apr 25, 2023

 **Discontinued**

Main

Range	Prisma
Range Of Product	Prisma P
Product Or Component Type	Mounting plate
Accessory / Separate Part Category	Installation accessory
Range Compatibility	Prisma Prisma P cubicle
Installation Description	Cubicle - width 650 mm depth 400 mm
Installed Device	FuPact: fixed INF32 - control: extended rotary handle - vertical installation FuPact: fixed INF32 - control: extended rotary handle - horizontal installation FuPact: fixed INF40 - control: extended rotary handle - vertical installation FuPact: fixed INF40 - control: extended rotary handle - horizontal installation
Poles Description	4 x 3P: fixed INF32 vertical installation 1 x 3P: fixed INF32 horizontal installation 1 x 4P: fixed INF32 horizontal installation 3 x 4P: fixed INF32 vertical installation 4 x 3P: fixed INF40 vertical installation 3 x 4P: fixed INF40 vertical installation 1 x 3P: fixed INF40 horizontal installation 1 x 4P: fixed INF40 horizontal installation
Number Of Vertical Modules [50 Mm]	3 module(s): INF32, direct in 650 mm Widecubicle 3 module(s): INF40, direct in 650 mm Widecubicle
Standards	IEC 61439-2
Product Certifications	ASEFA

Complementary

Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface Finish	Smooth Matt
Colour	White (RAL 9001)
Width	590 mm
Height	150 mm
Net Weight	2.14 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Functional Unit	650 mm 400 mm Prisma P cubicle FuPact INF32 fixed extended rotary handle vertical 3P 4 direct 3 12.5 mm 650 mm 400 mm Prisma P cubicle FuPact INF32 fixed extended rotary handle horizontal 3P 1 direct 3 12.5 mm 650 mm 400 mm Prisma P cubicle FuPact INF32 fixed extended rotary handle horizontal 4P 1 direct 3 12.5 mm 650 mm 400 mm Prisma P cubicle FuPact INF32 fixed extended rotary handle vertical 4P 3 direct 3 12.5 mm 650 mm 400 mm Prisma P cubicle FuPact INF40 fixed extended rotary handle vertical 3P 4 direct 3 12.5 mm 650 mm 400 mm Prisma P cubicle FuPact INF40 fixed extended rotary handle horizontal 3P 1 direct 3 12.5 mm 650 mm 400 mm Prisma P cubicle FuPact INF40 fixed extended rotary handle horizontal 4P 1 direct 3 12.5 mm 650 mm 400 mm Prisma P cubicle FuPact INF40 fixed extended rotary handle vertical 4P 3 direct 3 12.5 mm
-----------------	--

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	15.000 cm
Package 1 Length	57.500 cm
Package 1 Weight	2.140 kg
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	20.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	22.020 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	40
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	88.080 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance



Mercury Free



RoHS Exemption Information

[Yes](#)



Halogen Free Plastic Parts Product

Certifications & Standards

Eu RoHS Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)