
Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

FR.PL.3-4 V.INS250 DEVICES



03620

! Discontinued on: Apr 25, 2023

(!) Discontinued

Main

Range	Prisma	
Range Of Product	Prisma P	
Product Or Component Type	Front plate	
Accessory / Separate Part Category	Installation accessory	
Range Compatibility	Prisma Prisma P cubicle	
Type Of Front Plate	Cut-out	
Installed Device	ComPact: fixed INV250 - control: direct front rotary handle - vertical installation ComPact: fixed INS250 - control: direct front rotary handle - vertical installation	
Poles Description	Description 3 x 3P: mounting plate support: INS250 vertical installation 2 x 4P: mounting plate support: INS250 vertical installation 3 x 3P: mounting plate support: INV250 vertical installation 2 x 4P: mounting plate support: INV250 vertical installation	
Operating Position	Vertical	

Complementary

Enclosure/Cubicle Description	Cubicle - width 650 mm depth 400 mm	
Connection Position	Direct connection Linergy FC	
Number Of Vertical Modules [50 Mm]	5	
Standards	IEC 61439-2 IEC 61439-1	
Product Certifications	ASEFA	
Material	Steel	
Surface Finish	Smooth Matt	
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder	
Colour	White (RAL 9001)	
Height	250 mm	
Width	500 mm	
Net Weight	0.88 kg	
Quantity Per Set	antity Per Set Set of 1	

Functional Unit 650 mm 400 mm Prisma P cubicle ComPact INS250 fixed direct front rotary handle vertical 3P 3 Linergy FC 7

650~mm 400~mm Prisma P cubicle ComPact INS250 fixed direct front rotary handle vertical 4P 2 Linergy FC 7

650 mm 400 mm Prisma P cubicle ComPact INS250 fixed direct front rotary handle vertical 3P 3 direct 9

650 mm 400 mm Prisma P cubicle ComPact INS250 fixed direct front rotary handle vertical 4P 2 direct 9

650 mm 400 mm Prisma P cubicle ComPact INV250 fixed direct front rotary handle vertical 3P 3 Linergy FC 7

650 mm 400 mm Prisma P cubicle ComPact INV250 fixed direct front rotary handle vertical 4P 2 Linergy FC 7

650 mm 400 mm Prisma P cubicle ComPact INV250 fixed direct front rotary handle vertical 3P 3 direct 9

650 mm 400 mm Prisma P cubicle ComPact INV250 fixed direct front rotary handle vertical 4P 2 direct 9

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	26.0 cm
Package 1 Length	51.0 cm
Package 1 Weight	890.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	17.0 cm
Package 2 Width	27.0 cm
Package 2 Length	53.0 cm
Package 2 Weight	9.0 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	30
Package 3 Height	32.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	27.0 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes
②	Halogen Free Plastic Parts Product	

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information