

Defem - mesh tray - U-shape - steel, hot-dip galvanized - 220/110

1149205

! Discontinued on: Jan 3, 2022



Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

Main

Range	Defem
Product Or Component Type	Mesh tray
Market Segment	Small commercial

Complementary

-	
Shape	U-shape
Material	Steel (hot-dip galvanized)
Atmospheric-Corrosivity Category	C3/C4
Transversal Wire Diameter	5 mm
Longitudinal Wire Diameter	5 mm
Height	110 mm
Width	220 mm
Length	2.5 m
Net Weight	584 kg / set of 100

Environment

Mounting Location	Area with high level of environmental corrosion, humidity and airborne pollution
	industrial and coastal areas, chemical plants

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11 cm
Package 1 Width	22.5 cm
Package 1 Length	250 cm
Package 1 Weight	5.84 kg

Contractual warranty

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations