

Product data sheet

Specifications



hour counter - mechanical 7 digit
display - 24V AC 50Hz

15607

Main

Range	PowerLogic
Device Short Name	CH
Product Or Component Type	Hour counter
Range Compatibility	Prisma Prisma P door Prisma Prisma G door
Type Of Measurement	Operating time
Display Type	Electromechanical 7 digit(s), number of decimal = 2

Complementary

Reset	Without
[Us] Rated Supply Voltage	24 V AC at 50 Hz
Power Consumption In Va	0.25 VA
Mounting Support	Front face

Environment

Ip Degree Of Protection	Front face: IP65
Width	48 mm
Height	48 mm
Depth	39 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.700 cm
Package 1 Width	6.300 cm
Package 1 Length	6.300 cm
Package 1 Weight	57.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	96
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	5.904 kg
------------------	----------

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability





Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration	
Eu Rohs Directive	Compliant EU RoHS Declaration	
China Rohs Regulation	China RoHS declaration	
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	