

ammeter AMP PowerLogic - 96 x 96 - ferromagnetic - for standard feeder

16074

Main

Range	PowerLogic	
Device Short Name	AMP	
Product Or Component Type	Ammeter	
Range Compatibility	Prisma Prisma P door Prisma Prisma G door	
Technology Type	Ferromagnetic	
Scale Type	80 mm over 90°	
Mounting Support	Front face	

Complementary

Type Of Measurement	Current
Accuracy Class	Class 1.5
Power Consumption In Va	1.1 VA
Power Consumption In Va	1.1 VA
Overload Withstand	1.2 In, permanently 10 In, 5 s
Device Mounting	Flush
Operating Position	30°/vertical
Width	96 mm
Height	96 mm
Depth	75 mm
Temperature Drift	+/- 0.003 %/°C

Environment

Standards	IEC 61010-1 IEC 61000-4 IEC 60051-1
Ip Degree Of Protection	IP52
Ambient Air Temperature For Operation	-2550 °C
Reference Temperature	23 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	11.4 cm
Package 1 Width	11.5 cm
Package 1 Length	11.6 cm
Package 1 Weight	256.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	12
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.559 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information