

association part, 4 poles, Compact INS630b..1600, Compact NS630b.. 1600

31386

Main

| Range Of Product | NS630b1600 INV630b1600 |
|---------------------------------------|--|
| Range | ComPact |
| Product Or Component Type | Combination assembly |
| Accessory / Separate Part Category | Connection accessory |
| Range Compatibility | ComPact ComPact NS circuit breaker ComPact Compact INV circuit breaker |
| Poles Description | 4P |

Complementary

| Mounting Mode | Fixed | |
|------------------------|-------|--|
| Location Of Connection | Front | |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|----------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 7.0 cm |
| Package 1 Width | 20.0 cm |
| Package 1 Length | 30.0 cm |
| Package 1 Weight | 3.084 kg |

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

| ⊘ | Reach Free Of Svhc | |
|----------|----------------------------|-----|
| ⊘ | Toxic Heavy Metal Free | |
| ⊘ | Mercury Free | |
| ⊘ | Rohs Exemption Information | Yes |

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|---|
| Eu Rohs Directive | Compliant EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration |
| Environmental Disclosure | Product Environmental Profile |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| Circularity Profile | No need of specific recycling operations |