

# Product data sheet

Specifications

## Thorsman - TSF 4.8x45 - screw - raised countersunk - set of 100



3782440

### Main

Range Of Product	Thorsman
Product Or Component Type	Installation screw
Device Short Name	TSF
Device Application	Plasterboard
Screw Type	Fully threaded
Tool Type	screwdriver powerdriver
Quantity Per Set	Set of 100

### Complementary

Screw Diameter	4.8 mm
Screw Length	45 mm
Shape Of Screw Head	Raised countersunk
Screwdriver Shape	Philips No 2
Material	Screw: hardened steel electroplated

### Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	1.000 cm
Package 1 Length	4.800 cm
Package 1 Weight	4.000 g

### Contractual warranty

Warranty	18 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

## Certifications & Standards

Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
China Rohs Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations