

Product data sheet

Specifications



Wall Plate, C-Bus, Saturn, key input unit, A-Series, 6 keys, pure white

5086NL-PW

Main

Product Brand	Clipsal
Range	C-Bus
Product Name	C-Bus Saturn A Series
Product Or Component Type	Switch
Device Application	Control

Complementary

Device Presentation	Basic element with full cover plate
Colour	Pure white
Number Of Gangs	6 gangs
Control Type	Push-button
Provided Equipment	fascia plate body switch push-button cap
Material	Plastic
[Ue] Rated Operational Voltage	15...36 V DC
[In] Rated Current	22 mA
Communication Network Type	C-Bus 50
Input Impedance	50 kOhm at 1 kHz
Isolation Voltage	3.75 kV from C-Bus to mains
Switch Function	Load switching Dimmer Time switch function Scene control Roller shutter Bell push switch Curtain
Local Signalling	LED (blue/orange) for status
Time Delay Range	5 s
Connections - Terminals	Terminal block - 0.2...1.3 mm² (AWG 24...AWG 16)
Mounting Support	Wall box
Fixing Center	84 mm
Width	75 mm
Height	116 mm
Depth	28 mm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Net Weight	54 g
------------	------

Environment

Ambient Air Temperature For Operation	0...45 °C
Relative Humidity	10...95 % non-condensing

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.8 cm
Package 1 Width	11.0 cm
Package 1 Length	15.4 cm
Package 1 Weight	240.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	17.5 cm
Package 2 Width	28.0 cm
Package 2 Length	35.0 cm
Package 2 Weight	3.993 kg
Unit Type Of Package 3	PAL
Number Of Units In Package 3	280
Package 3 Height	122.5 cm
Package 3 Width	60.0 cm
Package 3 Length	80.0 cm
Package 3 Weight	121.796 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance



Mercury Free



RoHS Exemption Information

Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu RoHS Directive

Compliant with Exemptions

China RoHS Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

[End of Life Information](#)