# Product data sheet

Specifications



#### ① Discontinued

### Main

Mann	
Range	Wibe
Range Of Product	Wibe Cable Ladders
Product Or Component Type	Cable clamp
Device Short Name	Α

pre-galvanized

() Discontinued on: Sep 15, 2020

(!) End-of-service on: Nov 26, 2020

718508

Wibe - cable clamp A1-16 - steel

# Complementary

oompiomental y	
Mounting Support	24/48 pendant/fixing rail cable ladder with perforated rung
Product Destination	1 x cable 1316 mm
Product Compatibility	Insert piece EM
Material With Surface Treatment	Steel, pre-galvanized
Corrosion Class	C2
Height	85 mm
Width	21 mm
Depth	40 mm
Net Weight	3.7 kg / set of 100

### Environment

Mounting Location	Partly outdoor environment with low exposure to corrosion ware-houses and parking
	garages

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.5 cm
Package 1 Width	2.1 cm
Package 1 Length	4 cm
Package 1 Weight	37 g

### **Contractual warranty**

Warranty

18 months

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

# **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations