Specifications



Wibe - cable ladder - KHZSP-600 - steel painted - 4 m

718603

() Discontinued on: Jan 3, 2022

(!) Discontinued

Main

Range	Wibe	
Product Name	Wibe Cable Ladders	
Product Or Component Type	Cable ladder	
Device Short Name	KHZSP	
Device Application	Dry environment	

Complementary

Type Of Side Profile	Open profile
Type Of Rung	Perforated profile
Mounting Location	Indoor
Rung Spacing	250 mm
Material With Surface Treatment	Steel, painted white
Corrosion Class	C2
Height	55 mm
Width	600 mm
Length	4 m
Net Weight	277 kg / 100 m

Environment

Mounting Location	Partly outdoor environment with low exposure to corrosion ware-houses and parking garages
Standards	IEC 61537

Packing Units

J	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	59.8 cm
Package 1 Length	400 cm
Package 1 Weight	11.1 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Eq

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations