

# Changeover switch - iSSW - 2 C/O - 20A - 250 V AC - 2 positions

A9E18071

#### Main

Range Of Product	Acti9	
Product Name	Acti9 iSSW	
Product Or Component Type	Changeover switch	
Device Short Name	iSSW	
Device Application	Electrical circuit control	
Poles Description	2P	
Contacts Type And Composition	2 C/O	
[Ue] Rated Operational Voltage	250 V AC 50/60 Hz	
Standards	IEC 60669-1 IEC 60947-5-1	

## Complementary

[le] Rated Operational Current	20 A	
Control Type	Toggle 2 positions	
Marking	0 - 1	
Mounting Mode	Clip-on	
Mounting Support	DIN rail	
9 Mm Pitches	4	
Height	82 mm	
Width	36 mm	
Depth	75 mm	
Colour	White	
Electrical Durability	AC-22: 30000 cycles cos Phi = 0.8	
Connections - Terminals	ons - Terminals  Staggered tunnel terminal (downside) 2 cable(s) 0.52.5 mm² flexible  Staggered tunnel terminal (downside) 2 cable(s) 0.52.5 mm² rigid without cable end	
Wire Stripping Length	9 mm	
Tightening Torque	1 N.m	

#### **Environment**

Ip Degree Of Protection	IP20 conforming to IEC 60529	
Tropicalisation	2	
Pollution Degree	3	

Relative Humidity	95 % at 55 °C
Ambient Air Temperature For Operation	-2050 °C
Ambient Air Temperature For Storage	-4070 °C

## **Packing Units**

r adming dimes	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8 cm
Package 1 Width	3.5 cm
Package 1 Length	7.5 cm
Package 1 Weight	88 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	9.6 cm
Package 2 Width	8 cm
Package 2 Length	23 cm
Package 2 Weight	594 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	54
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	5.888 kg

# **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

<b>②</b>	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>②</b>	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Compliant
		EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration
		Pro-active China RoHS declaration (out of China RoHS legal scope)
Wee	e	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins