

Product data sheet

Specifications

Power Cord, C19 to C20, 4.5m

AP9887



Overview

Presentation	Rack PDU power cords for a variety of IT equipment. The output and input connections are C19 to C20. The cord length is 4.5m. The Nominal Output Voltage is 230V.
Lead Time	Usually in Stock

Main

Main Output Voltage	230 V
Input Connection Type	IEC 60320 C20
Cable Length	4.57 m
Number Of Cables	1

Physical

Colour	Black
Net Weight	1.59 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Permissible Voltage	200...240 V
Input Current Limits	16 A

Output

Max Current Draw	16 A
Number Of Power Socket Outlets	1 IEC 60320 C19

Conformance

Product Certifications	VDE
------------------------	-----

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	57.2 cm
Package 1 Width	11.4 cm
Package 1 Length	47 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	1.82 kg
------------------	---------

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Take-back Transparency RoHS/REACH

Resource performance

✔ Take-Back Program Available

Well-being performance

✔ Lead Free

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov