

APC Replacement battery cartridge #150 with 2 Year Warranty

APCRBC150

Overview

Lead Time Usually in Stock

Main

IVIAIII		
Main Input Voltage	12 V DC	
Product Or Component Type	Replacement battery cartridge	
Number Of Cables	1	
Battery Type	Lead-acid battery	
Provided Equipment	All required connectors Battery recycling guide Metallic battery tray or enclosure Reusable packaging Installation guide	

Batteries & Runtime

Number Of Battery Free Slots	0	
Number Of Battery Filled Slots	0	
Device Mounting	Enclosed battery cartridge	
Number Of Battery Replacement Quantity	1	

Physical

Colour	Black	
Height	8.3 cm	
Width	21.6 cm	
Depth	34.3 cm	
Net Weight	10 kg	
Mounting Mode	Not rack-mountable	
Usb Compatible	No	

Environmental

Ambient Air Temperature For Operation	045 °C
Operating Altitude	010000 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-1545 °C
Storage Altitude	0.0015240.00 m

Storage Relative Humidity 0...95 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.2 cm
Package 1 Width	49.5 cm
Package 1 Length	36.8 cm
Package 1 Weight	10.91 kg

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information