Specifications



# APC Replacement Battery Cartridge 157 with 2 Year Warranty

APCRBC157

## Overview

Lead Time

Usually in Stock

#### Main

Product Or Component Type	Replacement battery cartridge
	Neplacement battery cartinge
Number Of Cables	1
Battery Type	Lead-acid battery
Provided Equipment	All required connectors Battery recycling guide Metallic battery tray or enclosure

## **Batteries & Runtime**

Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cartridge
Number Of Battery Replacement Quantity	1

# Physical

Colour	Black
Height	8.3 cm
Width	21.6 cm
Depth	34.3 cm
Net Weight	10 kg
Mounting Mode	Not rack-mountable
Usb Compatible	No

## Environmental

Ambient Air Temperature For Operation	045 °C
Operating Altitude	010000 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-1545 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 %

# **Packing Units**

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.2 cm
Package 1 Width	49.5 cm
Package 1 Length	36.8 cm
Package 1 Weight	10.91 kg

## **Contractual warranty**

Warranty

2 years repair or replace

2

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

EQ

Guide to assess a product's sustainability >



Take-back Transparency RoHS/REACh

#### **Resource performance**

Take-Back Program Available

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information