

# APC Replacement Battery Cartridge #164 with 2 Year Warranty

APCRBC164

#### Overview

Lead Time Usually in Stock

#### Main

Main Input Voltage	12 V DC
Product Or Component Type	Replacement battery cartridge
Battery Type	Lead-acid battery
Provided Equipment	Installation guide

#### **Batteries & Runtime**

Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Battery Voltage	12 V
Number Of Battery Replacement Quantity	1

## **Physical**

Colour	Black
Height	10.5 cm
Width	15.1 cm
Depth	6.5 cm
Net Weight	3 kg
Mounting Mode	Not rack-mountable

#### **Output**

Battery Capacity 9.4 Ah

#### **Environmental**

Ambient Air Temperature For Operation	045 °C
Operating Altitude	010000 ft
Relative Humidity	095 % non-condensing
Ambient Air Temperature For Storage	-1545 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 % non-condensing

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.9 cm
Package 1 Width	21.3 cm
Package 1 Length	17.5 cm
Package 1 Weight	3.5 kg
Scc14	10731304346866

## **Contractual warranty**

Warranty 2 years repair or replace

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance



#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information