# Product data sheet

Specifications



# ARGUS standard indoor 360° - blister

CCTR1P002

#### Main

Range Of Product	ARGUS standard movement detector	
Range	ARGUS	
Product Or Component Type	Movement detector	
Load Type	Incandescent lamp: 1000 W, AC	
	Halogen lamp: 1000 W, AC	
	Low voltage halogen lamp with wire-wound transformer: 500 VA	
	Low voltage halogen lamp with electronic transformer: 315 VA	
	Fluorescent tube: 250 VA, AC	
	Compact fluorescent lamp: 4 x 23 W, AC	
	Capacitive: : 6 A, 28 µF, AC	
	Capacitive: : 10 A, 21 µF, AC	
Colour Tint	White	
Type Of Packing	Blister	

# Complementary

[Ue] Rated Operational Voltage	220240 V
Network Frequency	50 Hz
[Ue] Rated Operational Voltage	220240 V
Number Output Current	10 A
Type Of Setting	Light sensitivity adjustable Time adjustment
Time Delay	3 s10 min
Light Intensity Adjustment	52000 lux
Horizontal Detection Angle	0360 °
Detection Range	Radius: 3.9 m
Material	ABS + PC matt
Device Mounting	Ceiling
Mounting Height	2.4 m

## Environment

Condition Of Use	Indoor use only
Ip Degree Of Protection	IP20

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	4.6 cm
Package 1 Width	16.6 cm
Package 1 Length	5.5 cm
Package 1 Weight	318.0 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	24
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	8.368 kg

# **Contractual warranty**

Warranty

18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc

Fa

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

## **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information