

Product data sheet

Specifications



Category 6, Patch Cord, UTP, 1M, Grey

DC6PCURJ01GYM

⚠ Discontinued on: Dec 15, 2021

⚠ Discontinued

Main

Range	Digilink
Product Or Component Type	Patch cord
Cable Shielding Type	UTP
Colour Tint	Grey

Complementary

Type Of Cable	4 twisted-pairs cable
Conductor Material	Copper
Number Of Conductors	1
Communication Network Category	6
Connector Type	RJ45
Material	PC (polycarbonate): plug
Awg Gauge	AWG 24 stranded cable
Insulation Resistance	≥ 500 mOhm at 500 V DC
Contacts Material	Gold over nickel
[In] Rated Current	1.5 A
Contact Resistance	15 mOhm
[Ue] Rated Operational Voltage	< 72 V DC
Cable Length	1 m

Environment

Flame Retardance	CM
Standards	ANSI/TIA-568-C.2 Class E ISO/IEC 11801
Product Certifications	ETL verified

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2 cm
Package 1 Width	17 cm

Package 1 Length	26 cm
------------------	-------

Package 1 Weight	50 g
------------------	------

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

Well-being performance

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Eu Rohs Directive [Compliant](#)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [No need of specific recycling operations](#)
