

# Product data sheet

Specifications



## 1 Gang CATV Socket 45 degree incline, F connector, Lavendar Silver

E8231TVF\_LS

⚠ Discontinued on: Sep 30, 2022

⚠ Discontinued

### Main

|                           |                  |
|---------------------------|------------------|
| Product Or Component Type | TV/FM/SAT socket |
| Tv Socket Type            | TV               |
| Number Of Gangs           | 1 gang           |
| Cover Frame Colour Tint   | Lavender silver  |

### Complementary

|                         |  |
|-------------------------|--|
| Wiring Device Mounting  | Flush<br>Surface                                     |
| Average Impedance       | 75 Ohm   |
| Material                | Polycarbonate: surround<br>Polycarbonate: grid plate |
| Connections - Terminals | F connection   |
| Width                   | 87 mm  |
| Height                  | 87 mm  |
| Depth                   | 24.2 mm  |

### Environment

|                                       |                                       |
|---------------------------------------|---------------------------------------|
| Ambient Air Temperature For Operation | -5...40 °C                            |
| Relative Humidity                     | 0...95 %                              |
| Standards                             | GY/T137-1999<br>GB 17466<br>IEC 60670 |

### Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type Of Package 1       | PCE     |
| Number Of Units In Package 1 | 1       |
| Package 1 Height             | 2.2 cm  |
| Package 1 Width              | 8.7 cm  |
| Package 1 Length             | 8.7 cm  |
| Package 1 Weight             | 80.92 g |
| Unit Type Of Package 2       | BB1     |
| Number Of Units In Package 2 | 12      |
| Package 2 Height             | 9.5 cm  |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |          |
|------------------------------|----------|
| Package 2 Width              | 15 cm    |
| Package 2 Length             | 19 cm    |
| Package 2 Weight             | 971.04 g |
| Unit Type Of Package 3       | CAR      |
| Number Of Units In Package 3 | 120      |
| Package 3 Height             | 21 cm    |
| Package 3 Width              | 32.5 cm  |
| Package 3 Length             | 50 cm    |
| Package 3 Weight             | 9710.4 g |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information   [Yes](#)

## Certifications & Standards

|                          |   |
|--------------------------|---|
| Reach Regulation         | <a href="#">REACH Declaration</a>   |
| Eu Rohs Directive        | Compliant with Exemptions   |
| China Rohs Regulation    | <a href="#">China RoHS declaration</a><br>Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | <a href="#">Product Environmental Profile</a>   |
| Circularity Profile      | No need of specific recycling operations  |