

# 450W 240V 1 Gang Fan Controller with Switch, White

E8232V450F\_WE

#### Main

Product Or Component Type	Fan controller
Number Of Gangs	1 gang
Rated Operational Voltage	250 V AC 50 Hz
Operational Power In W	450 W
Cover Frame Colour Tint	White
Cover Plate Colour Tint	White

## Complementary

Wiring Device Mounting	Flush Surface
Material	Polycarbonate: plastic part
Width	87 mm
Height	87 mm
Depth	55 mm

## **Environment**

Ambient Air Temperature For Operation	-540 °C
Relative Humidity	095 %
Operating Altitude	2000 m
Standards	IEC 60669

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.4 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	104.53 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	15 cm
Package 2 Width	19 cm

Package 2 Length	6 cm
Package 2 Weight	637 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	21 cm
Package 3 Width	32.5 cm
Package 3 Length	50 cm
Package 3 Weight	6271.8 g

## **Contractual warranty**

Warranty 18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations