Specifications



Connection Unit, AvatarOn, 25A, 250V, Wine gold

E8331TB_WG_C5

Main

Range	AvatarOn
Device Application	Connection unit
Product Or Component Type	Connection unit
Quantity Per Set	Set of 1
Product Brand	Schneider Electric

Complementary

oompicinental y	
Device Presentation	Complete product
Colour Tint	Wine gold
Number Of Gangs	1 gang
Surface Finish	Painted
Material	PC (polycarbonate)
Mounting Support	Wall mounted
Fixing Mode	By screws
Rated Current	25 A at 250 V AC 5060 Hz
Connections - Terminals	Pillar terminals
Height	86 mm
Width	86 mm
Depth	38 mm
Ip Degree Of Protection	IP20

Environment

Standards

BS 5733

Packing Units

<u>~</u>	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.7 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	83.0 g
Unit Type Of Package 2	CAR

Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	1.006 kg

Contractual warranty

Warranty

18 Months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Sustainable Packaging Transparency RoHS/REACh

Ea

Resource performance

Sustainable Packaging

3

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations