Product data sheet

Specifications



① Discontinued

Main

Shaver socket, AvatarOn, 115/240V, 20VA, Wood

E83T727V_WD_C5

() Discontinued on: Jun 30, 2023

Range	AvatarOn
Product Or Component Type	Shaver socket
Installation Direction	Vertical
Input Voltage	240 V AC 50/60 Hz
Output Voltage	115 V AC 50/60 Hz 240 V AC 50/60 Hz
Material	Polycarbonate: grid plate Polycarbonate: surround Polycarbonate: bracket Brass: terminals
Colour Tint	Wood

Complementary

Device Presentation	Complete product	
Device Mounting	Surface	
Cable Cross Section	12.5 mm ²	
Rated Operational Power In Va	20 VA	
Connections - Terminals	Pillar terminals	
Width	86 mm	
Height	147 mm	
Depth	50 mm	

Environment

Ambient Air Temperature For Operation	-545 °C
Ambient Air Temperature For Storage	060 °C
Relative Humidity	095 %
Environmental Characteristic	UV resistant
Operating Altitude	2000 m
Ip Degree Of Protection	IP21
Standards	IEC 61558-2-5

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.3 cm
Package 1 Width	9.4 cm
Package 1 Length	15.3 cm
Package 1 Weight	150.0 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eà

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations