

1 Gang Bell Switch w/llluminated "DoNotDisturb&PleaseCleanUp" Sym, Wine Gold

E8431BPDM_GA_WG

! Discontinued on: Jun 30, 2023

① Discontinued

Main

Range	ZENcelo
Product Or Component Type	Switch
Device Application	Bell switch
Load Type	Resistive Inductive lamp
Colour Tint	Wine gold
Cover Frame Colour Tint	Wine gold

Complementary

-	
Device Mounting	Flush Surface
Rated Current	10 A at 250 V AC 50/60 Hz
Local Signalling	Please clean up: indicator light, neon (green) Do not disturb: indicator light, neon (orange)
Number Of Gangs	1 gang
Material	Brass: contact Polycarbonate: base Polycarbonate: cover Polycarbonate: grid plate Polycarbonate: surround
Connections - Terminals	Pillar terminals
Width	87 mm
Height	87 mm
Depth	27.72 mm

Environment

Ambient Air Temperature For Operation	-535 °C
Relative Humidity	095 %
Environmental Characteristic	No UV resistant
Operating Altitude	2000 m
Standards	IEC 60669-1 GB 16915.1 MS IEC 60669-1 BS EN 60669-1

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.8 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	83.0 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations